

Inductive-Deductive Systems: A mathematical logic and statistical learning perspective

Nicolas Baskiotis, Michèle Sebag et Olivier Teytaud

Université Paris-Sud – CNRS – INRIA

Prolog 2007



Inductive/deductive systems

- Learning to Reason [Kharden and Roth 97]
- Induction vs Deduction:
 - ▶ deduction: $\forall n, C(n)$ leads to $C(1), C(2), \dots$
 - ▶ induction: $C(1), C(3), C(7), \neg C(4), \neg C(6),$
leads to $C(2n + 1) \wedge \neg C(2n)$
- Inductive/deductive system:
 - ▶ e_1, \dots, e_n available statements
 - ▶ the algorithm reads e_1, \dots, e_n and outputs a theory T
 - ▶ if T does not prove e_{n+1} , then T is not satisfactory.
 - ▶ if T is not consistent, then T is not satisfactory.

Why a probabilistic analysis ?

- Question: Does T prove e_{n+1} ?
- Worst case: incompleteness theorem (Gödel)
there exists a statement e_{n+1} such that:
 - T does not prove e_{n+1}
 - and T does not prove $\neg e_{n+1}$ \Rightarrow for this criterion, all algorithms are equivalent:
they always have a counter-example!
- Questions:
 - is a statistical analysis possible ?
 - can one estimate $proba(trouble)$?

Outline

Context

Theorems

Implications for Turing-computable approximations

Conclusion

- Analysis of the inductive power
- Z a domain of examples and $F \subset P(Z)$
 - ▶ $X \subset Z$ is « shattered » F
 $\iff \forall X' \subset X \exists f \in F$ such that $X' = f \cap X$
 - ▶ VC-dim of F : maximal cardinal of a set shattered by F
- If e_1, \dots, e_n, \dots are independent and identically distributed, generated in some unknown "target" theory, and if F :
 - ▶ has finite VC-dim \implies probability of "trouble" $O(V/n)$
 - ▶ does not shattered an infinite set
 \implies in some cases $O(V(\text{target})/n)$
 - ▶ shatters an infinite set
 \implies arbitrarily slow convergence

Formalization, 1

- Modélization
 - ▶ consider ζ an essentially undecidable set of axioms
 - ▶ consider a set of axioms $E_n = \{e_1, \dots, e_n\}$
(independent identically distributed according to M , consistent with ζ)
 - ▶ the algorithm reads E_n and outputs A_n such that $A_n, \zeta \vdash E_n = \{e_1, \dots, e_n\}$
- We study:
 - ▶ uncompleteness: $L_n = M(\{e \mid A_n, \zeta \not\vdash e\})$
 - ▶ compactness $DL(A_n)$: description length of A_n

Formalization, 2

- Three families of algorithms:
 - ▶ deduction: $A_n = E_n$
 - ▶ deduction with pruning: $A_n \subset E_n$, minimal
 - ▶ induction+deduction: A_n as “small” as possible
 A_n not necessarily included in E_n
- Particular cases:
 - ▶ ζ complete, then $L_n = 0$ ($A_n = \emptyset$)
 - ▶ ζ ess. undecidable, worst case on e_n , then $\forall n, L_n = 1$
(Gödel's theorem)
- What happens if (i) ess. undecidable (ii) probability instead of worst case ?

Outline

Context

Theorems

Implications for Turing-computable approximations


Conclusion

Fundamental theorem

- Consider ζ an essentially undecidable set of axioms.
- Consider T' the set of consistent theories including ζ ,
 $\Rightarrow T'$ shatters an infinite set \Rightarrow disaster.
- Consider $T \subset T'$ the set of theories generated by an axiom set with finite description length,
 $\Rightarrow T$ has an infinite VC-dimension \Rightarrow depends on the algorithm.

Sketch of the proof


- Build an infinite sequence of statements $\{I_i\}$ shattered by T



- not the same statements on the left and on the right!
 \Rightarrow Modify the tree

Sketch of the proof

- $l_1 = e_1$, $r_1 = \neg e_1$, $l_2 = e_1 e_2 \vee \neg e_1 e_3$, $r_2 = e_1 \neg e_2 \vee \neg e_1 \neg e_3$,
 $l_3 = e_1 e_2 e_4 \vee \neg e_1 \neg e_2 e_5 \vee \neg e_1 e_3 e_6 \vee \neg e_1 \neg e_3 e_7, \dots$



- $\zeta, l_1, r_2, l_3 \vdash l_1, \vdash l_3, \not\vdash l_2$
- $\{l_1, \dots, l_n\}$ is shattered by T

Outline

Context

Theorems

Implications for Turing computable approximations

Conclusion

Implications

- If induction+deduction *and* finite description length:
 - ▶ target asymptotically reached
 - ▶ fast convergence ($O(\log(n)/n)$)
 - ▶ description length of output bounded and converging to the MDL of the target
- Otherwise
 - ▶ arbitrarily slow convergence rate
 - ▶ description length might run to infinity

Implications for Turing computable machines

- Question : We have used an oracle (in $0'$) for solving MDL problems. Is this necessary ?
- Approximation of the “idealize” MDL principle (in $0'$) by finite-length deduction (in 0 , i.e. computable)
 - ⇒ huge complexity of the algorithm, but

⇒ Same results as in $0'$

- ▶ convergence of L_n as $O(\log(n)/n)$
- ▶ target theory almost surely reached
- ▶ description length converges to the optimal possible one

Proof in the paper

Conclusion

induction+deduction $>$ deduction
induction+deduction $>$ deduction+pruning
on the set of theories with finite description length

- ▶ Probabilistic framework for the analysis of ess. undecidable Inductive Logic Programming
- ▶ Induction + finite description length \rightarrow convergence
- ▶ Turing-computable (but very expensive)
- ▶ Shorter axiom sets are better
- ▶ Making a difference between facts, which are definitely true, and induced facts, which are unstable.

Possible applications:

- ▶ Merging ontologies in ess. undecidable (i.e., natural!) settings
- ▶ A principled way for expert systems in ess. undecidable settings: approximate MDL + deduction