

Groupware and Collaborative Interaction

Collaborative Virtual Environments

Anastasia.Bezerianos@lri.fr

slides based on lecture by Cédric Fleury

Housekeeping

Form groups &
add your project description on spreadsheet !!!

Do this early so we can confirm your topic.

Dec 1st you'll present your **progress**
project proposal / feedback session
In-person

Official (marked) milestone

Project Proposal/Feedback: Programming

5 min to present (~3 slides)

Send in pdf format on Mon 29/11

Present in class on Dec 1st

(i) your concept,

(ii) the features you plan to implement in order of priority,

(iii) the tools you'll use to develop it.

IF you have anything implemented you can demo

Project Proposal/Feedback: Design

5 min to present (~3 slides)

Send in pdf format on Mon 29/11

Present in class on Dec 1st

(i) your concept,

(ii) related papers/systems you have reviewed,

(iii) what is novel about your concept.

IF you have early designs you can show them

Collaborative Virtual Environments

Today

Introduction to Mixed Reality (MR)

Overview of Interaction in MR

Collaboration in MR

- Remote Collaboration

- Co-located Collaboration

Awareness and Communication

Collaborative Interaction

- Navigation

- Co-manipulation

Collaborative
Virtual
Environments

Today

Introduction to Mixed Reality (MR)

Overview of Interaction in MR

Collaboration in MR

- Remote Collaboration

- Co-located Collaboration

Awareness and Communication

Collaborative Interaction

- Navigation

- Co-manipulation

Collaborative
Virtual
Environments

Virtual Reality

Virtual environment (VE)

3D virtual world

Simulated by computers

Interaction in real-time

Through various material devices

Immersion

Multi-sensorial perception of the VE



Augmented Reality



Real environment + Virtual environment

Add virtual information on the real environment

How can we define the boundary
between virtual reality and
augmented reality
?

Mixed Reality




Boundary between real and virtual can be fuzzy

Augmented virtuality

Integrated elements from the real world in the virtual environment

Ex: video feeds, tangible interaction, user's real position, ...

Milgram Continuum



Applications of Mixed Reality

Scientific data analysis

Industrial applications

Design, conception

Fabrication

Training, education



Phobia therapy, rehabilitation

Entertainment

Video games

Virtual visits of museums

Social communication (telepresence)



today

Introduction to Mixed Reality (MR)

Overview of Interaction in MR

Collaboration in MR

- Remote Collaboration

- Co-located Collaboration

Awareness and Communication

Collaborative Interaction

- Navigation

- Co-manipulation

Collaborative Virtual Environments

Interaction

3 kinds of interaction techniques [Hand, 1997]

Viewpoint manipulation (navigation)

Object manipulation (interaction)

Application Control

[Bowman et al., 2004]

*Bowman D. A., Kruijff E., LaViola J. J. et Poupyrev I. (2004).
3D User Interfaces : Theory and Practice. Addison Wesley.*

Navigation

Move the viewpoint + Modify the scale [\[Hand, 1997\]](#)

Manipulate its own viewpoint

or

Manipulate the viewpoint of the others

Includes path finding [\[Bowman et al., 2004\]](#)


Navigation

Egocentric techniques

Walking metaphor

Flying metaphor

Driving metaphor



Navigation


Exocentric techniques

Navidget [[Hachet et al., 2008](#)]

Grabbing the air [[Mapes et Moshell, 1995](#)]



Navigation



Navidget [Hachet et al., 2008]

Navigation

Assisted navigation techniques


Select the destination

Pointing

World In Miniature (WIM)

[Stoakley et al., 1995]

List of (pre-)defined paths



[Stoakley et al., 1995]


Move to destination

Teleportation [Ruddle et al., 2000]

Interpolation [Mackinlay et al., 1990]

“Guided visit” metaphor [Elmqvist et al., 2007]

Navigation



World In Miniature (WIM) [Stoakley et al., 1995]


Navigation

Multi-scale techniques

Manual scale modification

Scale the world



Head-butt Zoom [Mine et al., 1997]



Automatic scale modification

Bounding Boxes [Kopper et al., 2006]

Scaled-world grab [Mine et al., 1997]




Object Manipulation

2 main tasks

Selection

Manipulation



Object Manipulation

Virtual Ray [[Mine, 1995](#)]

Mimics a laser pointer





Image plan Interaction [[Pierce et al., 1997](#)]

Select by pointing with one part of the body



Object Manipulation



Image plan Interaction [Pierce et al., 1997]

Object Manipulation

Selection techniques not always suitable for manipulation


eg: virtual ray for rotations

Combining several interaction tools


extend hand reach HOMER [[Bowman & Hodges, 1997](#)]

move the manipulated object close to the user

attached the interaction tools to the objects



Multi-object manipulation



Containers & controls in Spacetime [Xia et al., 2018]

27

Application Control

Control

Application (exit, pause,...)

Rendering parameters


Tools/actions selection



[CDS – Bowman
et al., 1991]



[CHIMP – Mine
et al., 1997]



[Coquillart
et al., 1999]

Techniques used

2D menus

3D menus

Control on a tablet/smartphone

Today

Introduction to Mixed Reality (MR)

Overview of Interaction in MR

Collaboration in MR

- Remote Collaboration

- Co-located Collaboration

Awareness and Communication

Collaborative Interaction

- Navigation

- Co-manipulation

Collaborative
Virtual
Environments

Collaboration in Mixed Reality



Several users work/play together in a VE


- Co-expertise of 3D data

- Complex manipulation (real or virtual)


- Training

- Social presence (telepresence)

Remote Collaboration in AR



Remote Collaboration in VR



[Fleury et al., VRST 2012] 32

Co-located Collaboration in AR



Co-located Collaboration in VR

Integrate several users in a VE with the same devices



[Kulik et al., 2011]

Multi-stereoscopic display

C1x6: A Stereoscopic Six-User Display for Co-located Collaboration in Shared Virtual Environments

Alexander Kulik, André Kunert, Stephan Beck, Roman Reichel,
Roland Blach, Armin Zink, Bernd Froehlich

**Bauhaus-
Universität
Weimar**

Fraunhofer
IAO
Institut
Arbeitswirtschaft und
Organisation

digitalIMAGE
Solutions for the digital age

[Kulik et al., 2011]

35

Co-located Collaboration in VR



Users cannot see the other in the real world

Users can hear the other

Users can feel the haptic force of the other

Co-located *vs.* Remote

Limits between co-located and remote collaboration are not clearly defined

2 users with AR headsets in the same room?

2 users in a CAVE?

2 users with HMDs in the same room?

2 users with HMDs in a different room?


2 users with HMDs & headphones in the same room?

Unknown (Unwanted?) collaboration



[Cheng et al., UIST 2017]

Collaboration in MR



Today

Introduction to Mixed Reality (MR)

Overview of Interaction in MR

Collaboration in MR

- Remote Collaboration

- Co-located Collaboration

Awareness and Communication


Collaborative Interaction

- Navigation

- Co-manipulation

**Collaborative
Virtual
Environments**

Social Presence



[Fleury et al., VRST 2012]

Simplified Avatars

Collaborative interaction

Social Presence



[Facebook Social VR Demo - Oculus Connect 2016]

Animated avatars

Collaborative interaction

Video facilities

Social Presence



Real 3D video integration

[Beck et al., IEEE VR 2013]

Collaborative interaction

Specific tools for collaboration

Awareness

Perception of the other users

Where are they?

What are they doing?

What are they looking at?

Are they looking at me?

What could they do ?

Can they see me?

Could they see what I am showing to them?

Could they do what I am asking them to do?

Awareness

Improve the mutual understanding

Just next to me... But where are you?

Just in front of me ... But where are you looking at?

Etc.

Multi-sensorial restitution


Visual awareness

Audio awareness


Haptic awareness

Visual Awareness

Avatar: representation of users in the VE



[Fleury et al., 2012]



[DIVE, 1991]



CALVIN, 1996



Second Life, 2005



[Beeler et al., 2010]

Visual Awareness

Animation of the avatars



Kinect Avatar



Body tracking

Kinect Avatar


THE TECHNOLOGY BEHIND
avatar**KINECT™**

Telepresence in virtual reality

Animated virtual characters



Real 3D video integration



Video facilities



Audio Awareness

Spatialized voice restitution

Remote users' noises

Give a lot of information

Where they are

What they are doing

Add some sounds to describe the actions

Need to be spatialized sounds

Haptic Awareness

Force feedback of the others

Direct

Touch the others through haptic devices

Virtual handshake

Affective haptic


Can be asymmetrical



Indirect

Manipulate an object together

Feel the force applied by the other on the object



Awareness Model

Spatial Model of Interaction [Benford et al., 1994]

Compute which users can interact with which others

Measure of awareness between two users


Medium

A typical communication medium

Ex: audio, visual, haptic, etc.

Focus and Nimbus

Sub-space bounding the presence
in a particular **Medium**



[Benford et al., 1994]

Awareness Model

Spatial Model of Interaction [Benford et al., 1994]

Focus

Area where a user perceives the others


For each particular **Medium**

Nimbus

Area where the others can perceive a particular user

For each particular **Medium**

Different from the **focus**




Activities/Capabilities Perception

- ⇒ How can users understand what the others are doing?
- ⇒ How can they understand what the others can do?
(how much info do they need)

Show the *interaction workspace*







Capabilities Perception

Example for the user themselves:
User's displacement workspace




Capabilities Perception

Example for another user:
Interaction workspace




Activities Perception

What is the user seeing?



What is the user doing?



[Fraser et al., 1999]

(how much info do they need)


Voice communication

Essential for collaborative application

Compensate a bad perception of the VE [Hindmarsh et al., 1998]

Share different point of view

However:



Voice communication induces also discontinuity in interaction

[Bowers et al., 1996]


⇒ Users need specific tools for communication

Tools for communication


Virtual Ray

Laser pointer metaphor

Easy and intuitive manipulation



[Simon, 2005]



[Schild et al., 2009]



Tools for communication

Annotations

Sketching, text, audio, videos


Especially relevant for scientific data analysis

Synchronous and asynchronous collaboration



[Schild et al., 2009]

Tools for communication



Photoportals

- Shared 2D or 3D views

- Annotations

- Interaction with the shared views

Photoportals

[Kunert et al., CSCW 2014]

Photoportals: Shared References in Space and Time

André Kunert, Alexander Kulik, Stephan Beck, Bernd Fröhlich

Starring: Jan Beckmann, Anniek Vetter, André Kunert, Felix Trojan and Eik List
Voice: Ben Sassen
Production: Marcel Karnapke

3D model of Castle Vianden (Luxembourg)
Courtesy of ArcTron 3D GmbH (www.arctron.com)

Additional 3D Models from Blendswap Members:
Sizzler, Hjford, Michal David, Nicolas Damore, Ian57, Komtraya



©2011

Today

Introduction to Mixed Reality (MR)

Overview of Interaction in MR

Collaboration in MR

- Remote Collaboration

- Co-located Collaboration

Awareness and Communication

Collaborative Interaction

- Navigation

- Co-manipulation

Collaborative Virtual Environments

Collaborative Navigation

Collaborative virtual environment

WYSINWIS (What Your See Is Not What I see)

Each user can have its own viewpoint

But, sometime users need:

To share the same viewpoint

To meet somewhere in the VE

To guide others in the VE

To follow each other

Collaborative Navigation

3 main modes of collaborative navigation

Share the same point of view

One user drives, the other follows


One moves and the other follows with an offset

One user drives, the other can modify his offset

World in Miniature


Guide the others through the WIM

Move the others through the WIM



[CALVIN, 1996]

65



Viewpoints sharing

[Duval et al., 2008]


Context: scientific data analysis

Users can:

- Save interesting viewpoints

- Select on particular viewpoint

- Travel cross of the saved viewpoints of a particular user





Group Navigation


[Dodds & Ruddle, 2008]

Each user can travel independently, ... or

Users can become part of a predefined group, and they have functionalities that help them travel with the group

To follow the first member of the group

To come back at the middle of the group
(mean of member positions)



Collaborative teleportation




Spacetime [Xia et al., 2018]

68

Guidance techniques

[Nguyen et al., 2013]



Context: collaborative navigation in a building

User 1 is in an immersive room

Find several targets in the building


User 2 is in front a desktop workstation

Guide the other user using a WIM

Not verbal communication

Guidance techniques

[Nguyen et al., 2013]



First-person view of the exploring user in a CAVE-like system

Co-located Navigation



[Kulik et al., 2011]

71



Co-habitation in a CAVE

[Chen et al., 2015]

Problems when several users are co-located in a CAVE

Collisions

Occlusion



Co-habitation in a CAVE


[Chen et al., 2015]

Problems when several users are co-located in a CAVE

Consistent


VS.

Inconsistent



Co-habitation in a CAVE

[Chen et al., 2015]



Co-manipulation

Several users manipulate a same virtual object

- Edit a same virtual objet

- Achieve a hard manipulation task in VE

- Mimic the same task than in the real world (training)

Degree of Freedom (DoF)

- Usually 6 DoF (3 translations, 3 rotations) + the scale

- Some other parameters (color, shape, etc.)


3 solutions: users manipulate

- Copies of the object

- Different DoF of an object

- Same DoF of an object

Manipulate copies



Spacetime [Xia et al., 2018]

76


Manipulate different DoF

Users use the same tools


Ex: two virtual rays [Pinho et al., 2008]

Help with obstacles


Help when the depth is hard to perceive



User U1's view



User U2's view



Manipulate different DoF

Users use different tools



Ex: a virtual ray and a virtual hand

Virtual ray manages positions

Virtual hand manages rotations

User studies show [Pinho et al., 2002]

Faster, easier and more precise
than single user manipulations



[Pinho et al., 2002]

Manipulate the same DoF


Manipulate together positions and orientations

Compute the mean of each user's actions

Use a physical engine [Noma et Miyasato, 1997]

Positions and orientations
are the results of all the
forces applied by the users

Add springs between users'
hands and the object to
avoid instability



Manipulate the same DoF

Holding together a virtual object

Need at least 3 control points

3 hand manipulation technique




[Aguerreche et al., 2009]

One user has 2 control points

The other has 1 control point


Implemented with a prop
(Reconfigurable tangible device)

[Aguerreche et al., 2010]



Co-located manipulation

[Aguerreche et al., 2010]



Co-located manipulation



Even if users cannot see the others,
haptic feedback is still important
[Salzmann et al., 2009]

Take-aways



Take-aways

Co-located vs. Remote collaboration

Social presence is a continuum

Several solutions to represent users in a CVE

From realistic to simplified solutions

Activities/Capabilities perception

Usually voice communication

But still need visual tools to improve the communication

Wide range of collaborative interaction

Navigation together or help the other to navigate

Move virtual objects together

Take-aways

Feedback of the others are very important

Especially for co-manipulation

Applications of CVE

Co-expertise, collaborative review or design

Training

Learn a collaborative task

Learn with a remote teacher

Learn with additional virtual content

Entertainment (video games, artistic performance, etc.)

Social presence (telepresence)

References

- Beck, S., Kunert, A., Kulik, A., Froehlich B. Immersive Group-to-Group Telepresence. IEEE Transactions on Visualization and Computer Graphics, 19(4):616-25, March 2013
- Thabo Beeler, Bernd Bickel, Paul Beardsley, Bob Sumner, and Markus Gross. 2010. High-quality single-shot capture of facial geometry. ACM Trans. Graph. 29, 4, Article 40 (July 2010), 9 pages. DOI:<https://doi.org/10.1145/1778765.1778777>
- Steve Benford, Lennart Fahlén (2013). A Spatial Model of Interaction in Large Virtual Environments. Proceedings of the Third European Conference on Computer-Supported Cooperative Work 13–17 September 1993, Milan, Italy ECSCW '93
- Bowers, J., Pycock, J. and O'Brien, J. 1996. Talk and Embodiment in Collaborative Virtual Environments, in Proceedings of CHI'96.
- Bowman, D.A., & Hodges, L.F. (1997). An evaluation of techniques for grabbing and manipulating remote objects in immersive virtual environments. Proceedings of the 1997 symposium on Interactive 3D graphics.
- Bowman D. A., Kruijff E., LaViola J. J. et Poupyrev I. (2004). 3D User Interfaces : Theory and Practice. Addison Wesley.
- C. Carlsson and O. Hagsand, "DIVE A multi-user virtual reality system," Proceedings of IEEE Virtual Reality Annual International Symposium, 1993, pp. 394-400, doi: 10.1109/VRAIS.1993.380753.
- W. Chen, N. Ladeveze, C. Clavel, D. Mestre and P. Bourdot, "User cohabitation in multi-stereoscopic immersive virtual environment for individual navigation tasks," 2015 IEEE Virtual Reality (VR), 2015, pp. 47-54, doi: 10.1109/VR.2015.7223323.
- Lung-Pan Cheng, Sebastian Marwecki, and Patrick Baudisch. 2017. Mutual Human Actuation. In Proceedings of the 30th Annual ACM Symposium on User Interface Software and Technology (UIST '17). Association for Computing Machinery, New York, NY, USA, 797–805. DOI:<https://doi.org/10.1145/3126594.3126667>
- Dodds, T.J. and Ruddle, R.A. (2008) Mobile group dynamics in large-scale collaborative virtual environments. In: Proceedings of IEEE Virtual Reality. IEEE Virtual Reality 2008, 8 - 12 March 2008, Reno, Nevada, USA. IEEE , pp. 59-66.
- Thierry Duval, Cédric Fleury, Bernard Nouailhas, Laurent Aguerreche. Collaborative Exploration of 3D Scientific Data. VRST 2008, ACM - ACM SIGGRAPH - SIGCHI, Oct 2008, Bordeaux, France. pp.303-304.
- Niklas Elmqvist, M. Eduard Tudoreanu, and Philippos Tsigas. 2007. Tour generation for exploration of 3D virtual environments. In Proceedings of the 2007 ACM symposium on Virtual reality software and technology (VRST '07). Association for Computing Machinery, New York, NY, USA, 207–210. DOI:<https://doi.org/10.1145/1315184.1315224>
- Cédric Fleury, Thierry Duval, Valérie Gouranton, Anthony Steed. Evaluation of Remote Collaborative Manipulation for Scientific Data Analysis. VRST 2012 - 18th Symposium on Virtual Reality Software and Technology, Dec 2012, Toronto, Canada. pp.129-136
- M. Hachet, F. Declé, S. Knodel and P. Guitton, "Navidget for Easy 3D Camera Positioning from 2D Inputs," 2008 IEEE Symposium on 3D User Interfaces, 2008, pp. 83-89, doi: 10.1109/3DUI.2008.4476596.
- Hand, Chris. (1997). A Survey of 3D Interaction Techniques. Comput. Graph. Forum. 16. 269-281. 10.1111/1467-8659.00194.
- Alexander Kulik, André Kunert, Stephan Beck, Roman Reichel, Roland Blach, Armin Zink, and Bernd Froehlich. 2011. C1x6: a stereoscopic six-user display for co-located collaboration in shared virtual environments. ACM Trans. Graph. 30, 6 (December 2011), 1–12. DOI:<https://doi.org/10.1145/2070781.2024222>
- André Kunert, Alexander Kulik, Stephan Beck, and Bernd Froehlich. 2014. Photoportals: shared references in space and time. In Proceedings of the 17th ACM conference on Computer supported cooperative work & social computing (CSCW '14). Association for Computing Machinery, New York, NY, USA, 1388–1399. DOI:<https://doi.org/10.1145/2531602.2531727>
- Kopper, Regis & Ni, Tao & Bowman, Doug & Pinho, Márcio. (2006). Design and Evaluation of Navigation Techniques for Multiscale Virtual Environments Regis Kopper. 2006. 10.1109/VR.2006.47.
- Jock D. Mackinlay, Stuart K. Card, and George G. Robertson. 1990. Rapid controlled movement through a virtual 3D workspace. SIGGRAPH Comput. Graph. 24, 4 (Aug. 1990), 171–176. DOI:<https://doi.org/10.1145/97880.97898>
- Mapes, Daniel P. and J. Michael Moshell. "A Two-Handed Interface for Object Manipulation in Virtual Environments." Presence: Teleoperators & Virtual Environments 4 (1995): 403-416.
- Mine, Mark R.. "Virtual Environment Interaction Techniques." (1995).
- Mark R. Mine, Frederick P. Brooks, and Carlo H. Sequin. 1997. Moving objects in space: exploiting proprioception in virtual-environment interaction. In Proceedings of the 24th annual conference on Computer graphics and interactive techniques (SIGGRAPH '97). ACM Press/Addison-Wesley Publishing Co., USA, 19–26. DOI:<https://doi.org/10.1145/258734.258747>
- Jeffrey S. Pierce, Andrew S. Forsberg, Matthew J. Conway, Seung Hong, Robert C. Zeleznik, and Mark R. Mine. 1997. Image plane interaction techniques in 3D immersive environments. In Proceedings of the 1997 symposium on Interactive 3D graphics (I3D '97). Association for Computing Machinery, New York, NY, USA, 39–ff. DOI:<https://doi.org/10.1145/253284.253303>
- Pinho, M.S., Bowman, D.A. & Freitas, C.M.D.S. Cooperative object manipulation in collaborative virtual environments. J Braz Comp Soc 14, 53–67 (2008). <https://doi.org/10.1007/BF03192559>
- Ruddle, R. A., Howes, A., Payne, S. J., & Jones, D. M. (2000) The effects of hyperlinks on navigation in virtual environments. International Journal of Human Computer Studies, 53, 551-581.
- H. Salzmann, J. Jacobs, and B. Froehlich. 2009. Collaborative interaction in co-located two-user scenarios. In Proceedings of the 15th Joint virtual reality Eurographics conference on Virtual Environments (JVRC'09). Eurographics Association, Goslar, DEU, 85–92.
- Richard Stoakley, Matthew J. Conway, and Randy Pausch. 1995. Virtual reality on a WIM: interactive worlds in miniature. In Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '95), 265–272. DOI:<https://doi.org/10.1145/223904.223938>
- Haijun Xia, Sebastian Herscher, Ken Perlin, and Daniel Wigdor. 2018. Spacetime: Enabling Fluid Individual and Collaborative Editing in Virtual Reality. In Proceedings of the 31st Annual ACM Symposium on User Interface Software and Technology (UIST '18). Association for Computing Machinery, New York, NY, USA, 853–866. DOI:<https://doi.org/10.1145/3242587.3242597>
- <https://www.evl.uic.edu/spiff/calvin/>