


Permutrees

Vincent Pilaud – Viviane Pons
CNRS & Ecole Polytechnique – LRI, Univ. Paris-Sud



Some background

- ▶ Reading, *Cambiran Lattices* (2006).
- ▶ Chatel-Pilaud, *Cambiran Hopf algebra* (2014).
- ▶ **Pilaud-P., Permutrees (2016).**

	permutations	binary trees	binary sequences
Combinatorics	 A Hasse diagram showing the lattice structure of permutations of 4 elements. Nodes are labeled with 4-letter words like 3214, 3241, etc. Edges connect nodes based on local inversions.	 A Hasse diagram showing the lattice structure of binary trees with 4 nodes. Red arrows indicate specific tree shapes.	 A Hasse diagram showing the lattice structure of binary sequences of length 4. Red '+' and '-' signs are placed at nodes.
Geometry	 The same Hasse diagram as above, but with red edges highlighting a specific path through the lattice.	 The same Hasse diagram as above, but with red edges highlighting a specific path through the lattice.	 The same Hasse diagram as above, but with red edges highlighting a specific path through the lattice.
Algebra	<p>Malvenuto-Reutenauer algebra $\text{FQSym} = \text{vect} \langle \mathbb{F}_\tau \mid \tau \in \mathfrak{S} \rangle$</p> $\mathbb{F}_\tau \cdot \mathbb{F}_{\tau'} = \sum_{\sigma \in \tau \sqcup \tau'} \mathbb{F}_\sigma$ $\Delta \mathbb{F}_\sigma = \sum_{\sigma \in \tau \star \tau'} \mathbb{F}_\sigma \otimes \mathbb{F}_{\tau'}$	<p>Loday-Ronco algebra $\text{PBT} = \text{vect} \langle \mathbb{P}_T \mid T \in \mathcal{BT} \rangle$</p> $\mathbb{P}_T \cdot \mathbb{P}_{T'} = \sum_{\substack{T' \nearrow T'' \leq T'' \leq T \\ T' \nwarrow T'}} \mathbb{P}_{T''}$ $\Delta \mathbb{P}_\gamma = \sum_{\gamma \text{ cut}} B(T, \gamma) \otimes A(T, \gamma)$	<p>Solomon algebra $\text{Rec} = \text{vect} \langle \mathbb{X}_\eta \mid \eta \in \pm^* \rangle$</p> $\mathbb{X}_\eta \cdot \mathbb{X}_{\eta'} = \mathbb{X}_{\eta+\eta'} + \mathbb{X}_{\eta-\eta'}$ $\Delta \mathbb{X}_\eta = \sum_{\gamma \text{ cut}} B(\eta, \gamma) \otimes A(\eta, \gamma)$

The Permutree Recipe

- ▶ Take a word in $\{\emptyset, \circlearrowleft, \circlearrowright, \otimes\}^n$
- ▶ Take a permutation
- ▶ Do the insertion: get a Leveled Permutree (bijection)
- ▶ Remove the levels: get a Permutree (surjection)

The Permutree Recipe

- ▶ Take a word in $\{\emptyset, \circlearrowleft, \circlearrowright, \otimes\}^n$
- ▶ Take a permutation
- ▶ Do the insertion: get a Leveled Permutree (bijection)
- ▶ Remove the levels: get a Permutree (surjection)

Example

\emptyset^n	\longleftrightarrow	permutations of $[n]$
\circlearrowleft^n	\longleftrightarrow	standard binary search trees
$\{\circlearrowleft, \circlearrowright\}^n$	\longleftrightarrow	Cambrian trees
\otimes^n	\longleftrightarrow	binary sequences

The Permutree insertion

Permutation : 2751346

Decorations:

ΦΦΦΦΦΦΦΦ ΦΦΦΦΦΦΦΦ ΦΦΦΦΦΦΦΦ ΦΦΦΦΦΦΦΦ

Decorated Permutations:

2751346

2751346

2751346

2751346

Leveled permutable trees:

The Permutree insertion

Permutation : 2751346

Decorations:

ΦΦΦΦΦΦΦ ΦΦΦΦΦΦΦΦ ΦΦΦΦΦΦΦΦ ΦΦΦΦΦΦΦΦ

Decorated Permutations:


2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

∅∅∅∅∅∅∅

∅∅∅∅∅∅∅∅

∅∅∅∅∅∅∅∅

∅∅∅∅∅∅∅∅

Decorated Permutations:



2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

∅∅∅∅∅∅∅

∅∅∅∅∅∅∅∅∅

⊗⊗⊗⊗⊗⊗⊗⊗

∅∅∅∅∅∅∅∅

Decorated Permutations:




2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

∅∅∅∅∅∅∅

∅∅∅∅∅∅∅∅∅

⊗⊗⊗⊗⊗⊗⊗⊗

∅∅∅∅∅∅∅

Decorated Permutations:




2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

∅∅∅∅∅∅∅

∅∅∅∅∅∅∅∅

⊗⊗⊗⊗⊗⊗⊗

∅∅∅∅∅∅∅

Decorated Permutations:




2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

∅∅∅∅∅∅∅ ⊖⊖⊖⊖⊖⊖⊖ ⊗⊗⊗⊗⊗⊗⊗ ⊘⊘⊘⊘⊘⊘⊘

Decorated Permutations:





2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

∅∅∅∅∅∅∅ ⊖⊖⊖⊖⊖⊖⊖ ⊗⊗⊗⊗⊗⊗⊗ ⊘⊘⊘⊘⊘⊘⊘

Decorated Permutations:





2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

∅∅∅∅∅∅∅ ⊖⊖⊖⊖⊖⊖⊖ ⊗⊗⊗⊗⊗⊗⊗ ⊘⊘⊘⊘⊘⊘⊘

Decorated Permutations:





2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

Decorated Permutations:





2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

Decorated Permutations:





2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

Decorated Permutations:





2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

Decorated Permutations:





2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

Decorated Permutations:





2751346

2751346

2751346

2751346

Leveled permutable trees:



The Permutree insertion

Permutation : 2751346

Decorations:

∅∅∅∅∅∅∅ ⊖⊖⊖⊖⊖⊖⊖ ⊗⊗⊗⊗⊗⊗⊗ ⊘⊘⊘⊘⊘⊘⊘

Decorated Permutations:





2751346

2751346

2751346






2751346

Leveled permutable trees:



Definition of a permutree

directed (bottom to top) and labeled (bijectively by $[n]$) tree such that



Insertion

$$\mathfrak{S}_n \times \{\emptyset, \circlearrowleft, \circlearrowright, \otimes\}^n \longrightarrow \text{Permutrees}$$
$$(\sigma, \delta) \longrightarrow \mathbf{P}_\delta(\sigma)$$

Insertion

$$\mathfrak{S}_n \times \{\emptyset, \circlearrowleft, \circlearrowright, \otimes\}^n \longrightarrow \text{Permutrees}$$

$$(\sigma, \delta) \longrightarrow \mathbf{P}_\delta(\sigma)$$

Congruence

$$\dots ac \dots \underline{b} \dots \equiv_\delta \dots ca \dots \underline{b} \dots \quad (\delta_b \in \{\circlearrowleft, \otimes\})$$

$$\dots \overline{b} \dots ac \dots \equiv_\delta \dots \overline{b} \dots ca \dots \quad (\delta_b \in \{\circlearrowright, \otimes\})$$

Insertion


$$\mathfrak{S}_n \times \{\emptyset, \circlearrowleft, \circlearrowright, \otimes\}^n \longrightarrow \text{Permutrees}$$
$$(\sigma, \delta) \longrightarrow \mathbf{P}_\delta(\sigma)$$


Congruence


$$\dots ac \dots \underline{b} \dots \equiv_\delta \dots ca \dots \underline{b} \dots \quad (\delta_b \in \{\otimes, \otimes\})$$
$$\dots \overline{b} \dots ac \dots \equiv_\delta \dots \overline{b} \dots ca \dots \quad (\delta_b \in \{\circlearrowleft, \circlearrowright\})$$

Property


$$\sigma \equiv_\delta \tau \Leftrightarrow \mathbf{P}_\delta(\sigma) = \mathbf{P}_\delta(\tau)$$









7251346 ≡




2751346




$\overline{7}2\overline{5}1\overline{3}\overline{4}6 \equiv$




$\overline{2}\overline{7}5\overline{1}3\overline{4}6$



$\overline{7}2\overline{5}1\overline{3}\overline{4}6 \equiv$



$\overline{2}\overline{7}5\overline{1}\overline{3}\overline{4}6$



$\equiv \overline{2}\overline{7}1\overline{5}\overline{3}\overline{4}6$

Numerology



$\textcircled{1} \otimes \textcircled{2} \otimes \textcircled{1}$ 8					
$\textcircled{1} \otimes \textcircled{2} \otimes \textcircled{1}$ 10	$\textcircled{1} \circ \textcircled{2} \otimes \textcircled{1}$ 10	$\textcircled{1} \otimes \textcircled{2} \otimes \textcircled{1}$ 10	$\textcircled{1} \otimes \textcircled{2} \circ \textcircled{1}$ 10		
$\textcircled{1} \textcircled{2} \otimes \textcircled{1}$ 12	$\textcircled{1} \textcircled{2} \otimes \textcircled{1}$ 14	$\textcircled{1} \textcircled{2} \circ \textcircled{1}$ 14	$\textcircled{1} \circ \textcircled{2} \otimes \textcircled{1}$ 14	$\textcircled{1} \circ \textcircled{2} \circ \textcircled{1}$ 14	$\textcircled{1} \otimes \textcircled{2} \otimes \textcircled{1}$ 12
$\textcircled{1} \textcircled{2} \textcircled{3} \otimes \textcircled{1}$ 18	$\textcircled{1} \textcircled{2} \textcircled{3} \circ \textcircled{1}$ 18	$\textcircled{1} \textcircled{2} \otimes \textcircled{3} \textcircled{1}$ 18	$\textcircled{1} \textcircled{2} \circ \textcircled{3} \textcircled{1}$ 18		
$\textcircled{1} \textcircled{2} \textcircled{3} \textcircled{4} \otimes \textcircled{1}$ 24					


Factorial-Catalan numbers

$\mathbf{C}(\delta)$:= number of permutable trees with decoration δ .


- ▶ δ_1 and δ_n do not affect the number of permutable trees.
- ▶ If $\delta_i = \otimes$, $\mathbf{C}(\delta) = \mathbf{C}(\delta[1 \dots i]) \times \mathbf{C}(\delta[i \dots n])$.
- ▶ Any \circlearrowleft can be changed into a \otimes without changing $\mathbf{C}(\delta)$.
- ▶ If $\delta \in \{\emptyset, \otimes\}^n$, then $\mathbf{C}(\delta)$ is given by the recursive formula:

$$\mathbf{C}(\delta) = \sum_{i \in \delta^{-1}(\emptyset)} \mathbf{C}(\delta \setminus i) + \sum_{i \in \delta^{-1}(\otimes)} \mathbf{C}(\delta[1 \dots i-1]) \mathbf{C}(\delta[i+1 \dots n])$$






Tree-angulation





vertices above/below/inside $[0, 8]$	\longleftrightarrow	decoration
diangle enclosing j	\longleftrightarrow	node \circlearrowleft labeled j
triangle $i < j < k$ with j below	\longleftrightarrow	node \circlearrowright labeled j
triangle $i < j < k$ with j above	\longleftrightarrow	node $\circlearrowleft\circlearrowright$ labeled j
quadrangle $i < j^-, j^+ < k$	\longleftrightarrow	node \otimes labeled j



Tree-angulation flip






Tree-angulation flip






Tree-angulation flip



Tree-angulation flip




Tree-angulation flip



The Permutreehedron

Thm (Pilaud, P.) for every $\delta \in \{\oplus, \otimes, \circlearrowleft, \circlearrowright\}^n$, there is an explicit construction of a


- ▶ a complete simplicial fan, the δ -permutree fan $\mathcal{F}(\delta)$;
- ▶ a polytope, the Permutreehedron $\text{PT}(\delta)$, whose normal fan is $\mathcal{F}(\delta)$.



The Permutreehedron

Thm (Pilaud, P.) for every $\delta \in \{\oplus, \otimes, \circlearrowleft, \circlearrowright\}^n$, there is an explicit construction of a

- ▶ a complete simplicial fan, the δ -permmtree fan $\mathcal{F}(\delta)$;
- ▶ a polytope, the Permutreehedron $\text{PT}(\delta)$, whose normal fan is $\mathcal{F}(\delta)$.




The Permutreehedron can be constructed by convex hull or hyperplane intersection.

The Permutreehedron

Thm (Pilaud, P.) for every $\delta \in \{\oplus, \otimes, \circlearrowleft, \circlearrowright\}^n$, there is an explicit construction of a

- ▶ a complete simplicial fan, the δ -permmtree fan $\mathcal{F}(\delta)$;
- ▶ a polytope, the Permutreehedron $\text{PT}(\delta)$, whose normal fan is $\mathcal{F}(\delta)$.




The vertices of $\text{PT}(\delta)$ are the δ -permmtrees.

The Permutreehedron

Thm (Pilaud, P.) for every $\delta \in \{\oplus, \otimes, \circlearrowleft, \circlearrowright\}^n$, there is an explicit construction of a

- ▶ a complete simplicial fan, the δ -permutee fan $\mathcal{F}(\delta)$;
- ▶ a polytope, the Permutreehedron $\text{PT}(\delta)$, whose normal fan is $\mathcal{F}(\delta)$.




The oriented graph of $\text{PT}(\delta)$ is the Hasse diagram of the δ -permutee lattice.

The Permutreehedron

Thm (Pilaud, P.) for every $\delta \in \{\oplus, \otimes, \circlearrowleft, \circlearrowright\}^n$, there is an explicit construction of a

- ▶ a complete simplicial fan, the δ -permmtree fan $\mathcal{F}(\delta)$;
- ▶ a polytope, the Permutreehedron $\text{PT}(\delta)$, whose normal fan is $\mathcal{F}(\delta)$.




Combinatorics of the faces: Schröder permmtree.

The Permutreehedron

Thm (Pilaud, P.) for every $\delta \in \{\oplus, \otimes, \circlearrowleft, \circlearrowright\}^n$, there is an explicit construction of a

- ▶ a complete simplicial fan, the δ -permutree fan $\mathcal{F}(\delta)$;
- ▶ a polytope, the Permutreehedron $\text{PT}(\delta)$, whose normal fan is $\mathcal{F}(\delta)$.



Show the 3D-surprise!

Matriochka Permutreehedra

refinement $\delta \preccurlyeq \delta' \implies$ inclusion $\text{PT}(\delta) \subset \text{PT}(\delta')$

