






s -weak order and s -permutahedra



Cesar Ceballos – Viviane Pons
Univ. of Vienna – LRI, Univ. Paris-Sud





Weak Order





Weak Order





Weak Order





Weak Order



Weak Order




Weak Order




$$2413 \wedge 4213 = 2413$$

$$2413 \vee 4213 = 4231$$

Weak Order





$$2413 \wedge 4213 = 2413$$





$$2413 \vee 4213 = 4231$$


From the Weak Order to the Tamari lattice




From the Weak Order to the Tamari lattice



From the Weak Order to the Tamari lattice





From the Weak Order to the Tamari lattice




Context

Geometry




Combinatorics




Algebra


$$\begin{aligned}
 F_{21} \cdot F_{12} &= F_{21\bar{1}2} \\
 &= F_{2134} + F_{2314} + F_{2341} + F_{3214} + F_{3241} + F_{3421}
 \end{aligned}$$




Weak order





Tamari lattice




Weak order



Permutahedron




Tamari lattice





Associahedron


Weak order




Permutahedron



Tamari lattice




Associahedron



 ν -Tamari

Préville-Ratelle, Viennot


Weak order




Permutahedron



Tamari lattice



Associahedron




ν -Tamari
Préville-Ratelle, Viennot




ν -Associahedron
Ceballos, Padrol, Sarmiento

Weak order




Permutahedron




?


?



Tamari lattice



Associahedron



ν -Tamari


Préville-Ratelle, Viennot




ν -Associahedron

Ceballos, Padrol, Sarmiento


Weak order





Permutahedron




s -Weak order




s -Permutahedron



Tamari lattice



Associahedron



ν -Tamari
Préville-Ratelle, Viennot



ν -Associahedron
Ceballos, Padrol, Sarmiento

s -decreasing trees

Let s be a sequence of n non-negative integers. An s -decreasing tree is a planar tree labeled with $1 \dots n$ such that each node i has $s(i) + 1$ children and labels are decreasing from root to leaves.

$$s = (0, 1, 3, 0, 4, 3)$$

s -decreasing trees

Let s be a sequence of n non-negative integers. An s -decreasing tree is a planar tree labeled with $1 \dots n$ such that each node i has $s(i) + 1$ children and labels are decreasing from root to leaves.


$$s = (0, 1, 3, 0, 4, 3)$$



s -decreasing trees

Let s be a sequence of n non-negative integers. An s -decreasing tree is a planar tree labeled with $1 \dots n$ such that each node i has $s(i) + 1$ children and labels are decreasing from root to leaves.

$$s = (0, 1, 3, 0, 4, 3)$$



How many trees?

$$s = (0, 1, 3, 0, 4, 3)$$


Number of s -decreasing trees:

How many trees?

$$s = (0, 1, 3, 0, 4, 3)$$

Number of s -decreasing trees:

$(1+3)$




How many trees?

$$s = (0, 1, 3, 0, 4, 3)$$

Number of s -decreasing trees:

$$(1+3) \times (1+3+4)$$




How many trees?

$$s = (0, 1, 3, 0, 4, 3)$$

Number of s -decreasing trees:

$$(1+3) \times (1+3+4) \times (1+3+4+0)$$




How many trees?

$$s = (0, 1, 3, 0, 4, 3)$$

Number of s -decreasing trees:

$$(1+3) \times (1+3+4) \times (1+3+4+0) \times (1+3+4+0+3)$$




How many trees?

$$s = (0, 1, 3, 0, 4, 3)$$

Number of s -decreasing trees:

$$(1+3) \times (1+3+4) \times (1+3+4+0) \times (1+3+4+0+3) \times (1+3+4+0+3+1)$$




How many trees?

$$s = (0, 1, 3, 0, 4, 3)$$

Number of s -decreasing trees:

$$(1+3) \times (1+3+4) \times (1+3+4+0) \times (1+3+4+0+3) \times (1+3+4+0+3+1)$$




Permutations

$$s = (1, 1, 1, 1, 1, 1)$$

Number of s -decreasing trees:

$$(1+1) \times (1+1+1) \times (1+1+1+1) \times (1+1+1+1+1) \times (1+1+1+1+1+1)$$




Permutations

$$s = (1, 1, 1, 1, 1, 1)$$


Number of s -decreasing trees: $6!$

$$(1+1) \times (1+1+1) \times (1+1+1+1) \times (1+1+1+1+1) \times (1+1+1+1+1+1)$$




Tree-inversions

For all $b > a$, we define $0 \leq \#(b, a) \leq s(b)$.



Tree-inversions

For all $b > a$, we define $0 \leq \#(b, a) \leq s(b)$.




The s -weak order

R, T , s -decreasing trees:


$$R \preceq T \Leftrightarrow \forall b > a, \#_R(b, a) \leq \#_T(b, a)$$

Theorem


The s -weak order is always a lattice.



$(0, 0, 2)$




$(0, 1, 2)$



$(0, 2, 2)$


s -Tamari lattice


Select trees which avoid “pattern 231”: $a < b < c$






Theorem

The set of 231-avoiding s -decreasing trees form a sublattice, the s -Tamari lattice, isomorphic to the ν -Tamari lattice.















Geometry: the s -Permutahedron































Polytopal complex? Ascentopes



Can each face be realized as a polytope?

Polytopal complex? Ascentopes


Can each face be realized as a polytope?

To each facet, we associate a **generalized permutahedron**: we define an injection between maximal faces included in a given facet and the facets of the permutahedron.






- ▶ 12 vertices
- ▶ 18 edges
- ▶ 8 facets



f vector =







$(1, 2178, 9801, 19008, 20790, 14082, 6099, 1680, 282, 26, 1)$




The s -Associahedron



Theorem: The s -associahedron is isomorphic to the ν -associahedron for $\nu = NE^{s(n)} \dots NE^{s(1)}$.

Polytopal subdivision





Conjecture 1

The s -permutohedron can be realized as a polytopal subdivision of the permutohedron.

Conjecture 2

One can obtain a realization of the s -associahedron by removing some facets of the s -permutohedron realization.