

nov 28, 10 9:39

exemples3.txt

Page 1/6

```
/*
// exemples3.txt

// -----
// Ex1.java

class Ex1 {
    public static void main(String[] args) {
        int[] t;
        t = new int[3];
        t[0] = 7;
        t[1] = -12;
        t[2] = 3;
        System.out.println(t[0]);
        System.out.println(t[1]+" "+t[2]);
    }
}

/*
java Ex1
7
-12 3
*/

// -----
// Ex2.java

class Ex2 {
    public static void main(String[] args) {
        int[] t;
        t = new int[5];

        t[0] = 1;
        t[1] = -2;
        t[2] = 7;
        t[3] = 12;
        t[4] = 8;

        System.out.print("Voici t : ");
        for (int i=0; i<t.length; i++)
            System.out.print(t[i]+" ");
        System.out.println();
    }
}

/*
java Ex2
Voici t : 1 -2 7 12 8
*/

// -----
// Ex3.java

class Ex3 {
    public static void main(String[] args) {
        int[] t = {1, -2, 7, 12, 8};

        System.out.print("Voici t : ");
        for (int i=0; i<t.length; i++)
            System.out.print(t[i]+" ");
        System.out.println();
    }
}
```

nov 28, 10 9:39

exemples3.txt

Page 2/6

```
}
/*
java Ex3
Voici t : 1 -2 7 12 8

// -----
// Ex3bis.java

class Ex3bis {
    public static void main(String[] args) {
        int[] t;
        t = new int[5];
        t[2] = 7;
        t[3] = 12;
        t[2]++;
        t[3] = t[2] + 10;
        System.out.print("Voici t : ");
        for (int i=0; i<t.length; i++)
            System.out.print(t[i]+" ");
        System.out.println();

        int[] u = {1, -2, 7, 12, 8};
        System.out.print("Voici u : ");
        for (int i=0; i<u.length; i++)
            System.out.print(u[i]+" ");
        System.out.println();

        System.out.print(t[t.length]);
    }
}

/*
java Ex3bis
Voici t : 0 0 8 18 0
Voici u : 1 -2 7 12 8
Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: 5
at Ex3bis.main(Ex3bis.java:23)
*/
// -----
// Ex3ter.java

class Ex3ter {
    public static void main(String[] args) {
        int[] t;
        t[2] = 7;
    }
}

/*
javac Ex3ter.java
Ex3ter.java:7: variable t might not have been initialized
t[2] = 7;
^
1 error
*/
// -----
// Ex4Memoire.java
```

nov 28, 10 9:39

exemples3.txt

Page 3/6

```

class Ex4Memoire {
    public static void main(String[] args) {
        int[] t;
        int m = 8;
        t = new int[5];
        t[1] = 9;
        for (int i=0; i<t.length; i++)
            System.out.print("t["+i+"]="+t[i]+" ");
        System.out.println();
    }
}

/*
    java Ex4Memoire
    t[0]=0 t[1]=9 t[2]=0 t[3]=0 t[4]=0
*/
-----  

// Ex5.java

class Ex5 {
    public static void main(String[] args) {
        int[] t;
        t = new int[5];
        System.out.println(t);
    }
}

/*
    java Ex5
    [I@1888759
*/
-----  

// Ex6.java

class Ex6 {
    public static void main(String[] args) {
        int[] t1 = new int[3];
        for (int i=0; i<t1.length; i++)
            t1[i] = i;

        int[] t2 = new int[2];
        for (int i=0; i<t2.length; i++)
            t2[i] = 10 + i;

        System.out.print("Voici t1 : ");
        System.out.print(t1+", ");
        for (int i=0; i<t1.length; i++)
            System.out.print(t1[i]+" ");
        System.out.println();

        System.out.print("Voici t2 : ");
        System.out.print(t2+", ");
        for (int i=0; i<t2.length; i++)
            System.out.print(t2[i]+" ");
        System.out.println();

        t1 = t2;

        System.out.print("Voici t1 : ");
        System.out.print(t1+", ");
    }
}

```

nov 28, 10 9:39

exemples3.txt

Page 4/6

```

for (int i=0; i<t1.length; i++)
    System.out.print(t1[i]+" ");
System.out.println();

System.out.print("Voici t2 : ");
System.out.print(t2+", ");
for (int i=0; i<t2.length; i++)
    System.out.print(t2[i]+" ");
System.out.println();

t1[0] = 5;
System.out.println(t2[0]);

System.out.print("Voici t1 : ");
System.out.print(t1+", ");
for (int i=0; i<t1.length; i++)
    System.out.print(t1[i]+" ");
System.out.println();

System.out.print("Voici t2 : ");
System.out.print(t2+", ");
for (int i=0; i<t2.length; i++)
    System.out.print(t2[i]+" ");
System.out.println();
}

/*
    java Ex6
    Voici t1 : [I@4a5ab2, 0 1 2
    Voici t2 : [I@1888759, 10 11
    Voici t1 : [I@1888759, 10 11
    Voici t2 : [I@1888759, 10 11
    5
    Voici t1 : [I@1888759, 5 11
    Voici t2 : [I@1888759, 5 11
*/
-----  

// Ex7.java

class Ex7 {
    public static void main(String[] args) {
        int[] t1 = new int[3];
        for (int i=0; i<t1.length; i++)
            t1[i] = i;
        System.out.print("Voici t1 : ");
        System.out.print(t1+", ");
        for (int i=0; i<t1.length; i++)
            System.out.print(t1[i]+" ");
        System.out.println();

        int[] t2 = new int[t1.length];
        for (int i=0; i<t2.length; i++)
            t2[i] = t1[i];
        System.out.print("Voici t2 : ");
        System.out.print(t2+", ");
        for (int i=0; i<t2.length; i++)
            System.out.print(t2[i]+" ");
        System.out.println();
    }
}

```

nov 28, 10 9:39

exemples3.txt

Page 5/6

```
/*
 java Ex7
 Voici t1 : [I@4a5ab2, 0 1 2
 Voici t2 : [I@1888759, 0 1 2
 */

//-----Ex8.java

class Ex8 {
    public static void main(String[] args) {
        String nom = args[0];
        int nbAnnees = Integer.parseInt(args[1]);
        int nbMois = Integer.parseInt(args[2]);
        System.out.println(nom+" a "+(12*nbAnnees+nbMois)+" mois");
    }
}

/*
 java Ex8 Constance 9 7
 Constance a 115 mois
*/

//-----Ex9.java

class Ex9 {
    public static void main(String[] args) {
        int[] t = {1, -2, 7, 12, 8};

        System.out.print("Voici t : ");
        for (int i=0; i<t.length; i++)
            System.out.print(t[i]+" ");
        System.out.println();

        int somme = 0;
        for (int i=0; i<t.length; i++)
            somme += t[i];
        System.out.println("Somme des elements de t = "+somme);
    }
}

/*
 java Ex9
 Voici t : 1 -2 7 12 8
 Somme des elements de t = 26
*/
//-----Ex10.java

class Ex10 {
    public static void main(String[] args) {
        int[] t = {1, -2, 7, 12, 8};

        System.out.print("Voici t : ");
        for (int i=0; i<t.length; i++)
            System.out.print(t[i]+" ");
        System.out.println();

        int n = Integer.parseInt(args[0]);
    }
}
```

nov 28, 10 9:39

exemples3.txt

Page 6/6

```
boolean b = false;
for (int i=0; i<t.length; i++)
    if (t[i] == n)
        b = true;
System.out.println(n+" est-il dans t ? "+b);
}

/*
java Ex10
Voici t : 1 -2 7 12 8
Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: 0
at Ex10.main(Ex10.java:13)

java Ex10 12
Voici t : 1 -2 7 12 8
12 est-il dans t ? true

java Ex10 11
Voici t : 1 -2 7 12 8
11 est-il dans t ? false
*/

//-----Ex11Memoire.java

class Ex11Memoire {
    public static void main(String[] args) {
        int[] t;
        int n = 2;
        t = new int[n];
        t[1] = n;
        int[] u = t;
        t[0]++;
        n--;
        u[0] = t[n];
        System.out.println(t[n]+" "+u[n]); // ici
        u = new int[t[n]];
        u[n+1]++;
        System.out.println(t[n]+" "+u[n]);
    }
}

/*
java Ex11Memoire
2 2
Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: 2
at Ex11Memoire.main(Ex11Memoire.java:16)
*/
//-----
```